



intimus 100 In the Office

Professional Data Shredders – a Synthesis of Technology, Performance and Design. All intimus® shredders are built from durable, precision engineered, high-performance components, designed for a long life of high volume usage. The product range covers all requirements from day-to-day office use up to High Security Shredding machines in use for destruction of classified material in line with all current legal requirements such as DIN 66399 or NSA 02/01. intimus® shredders carry various features which make them unique in user-friendliness and operating efficiency.

- Low noise level
- Automatic start/stop with light barrier
- Automatic stop in case of overload
- Illuminated indicators for basket full, door open and paper jam
- Sealed dust-free design with robust wooden cabinet
- Mounted on rollers for flexible use



W/D/H 49 x 44 x 90 cm







	Shred size	\1 <u>'</u>	m		Security level DIN 66 399			Shredding capacity* sheets		Cutting Throughput* speed sheets/min		Also shreds:						
Model	mm	I		Р	F	0	T	Н	Ε	70 g/m²	80 g/m ²	m/s	70 g/m ²	80 g/m ²	Ø	0		
100 SP2	3.8	100	5+	2	_	2	2+	-	_	23-25	19-21	0.14	707	594	✓	_	✓	_
100 CP4	3.8 x 36	100	5+	4	1	3	4+	-	_	18-20	16-17	0.14	566	481	✓	-	✓	_
100 CP5	1.9 x 15	100	5+	5	2	-	_	-	-	13-15	11-13	0.14	424	368	✓	-	✓	_
† only floppy disks / ID cards																		
High Securit	ty Shredder																	_
100 CP6	0.8 x 12	100	5+	6	3	_	-	-	-	8-10	7-9	0.14	283	255	-	_	-	
100 CP7	0.8 x 4.5	100	5+	7*	3	-	-	-	-	5-6	4-6	0.14	170	170	-	_	_	_
* NSA approved (NSA / CSS FPL 02/01)																		

Optional Equipment	Packing unit	Art. No.	Shredder oil for CP-models	Packing unit	Art. No.
PE bags intimus 100 and 120	50 pieces	99977	Bottle at 110 ml	6 bottles	88035
			for models with oiler, 2 litres	1 canister	91869

^{*} based on 70 g/m2 A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply. It may be lower if the voltage is below the rated/nominal value.

** theoretical average performance paper/min

